

Certificate Policy(CP)  
SINAM Certification Service Provider

VERSION CONTROL

Date	Version	Editor	Change
19.05.2025	1.0	Uzeyir Gurbanli	First version
25.05.2025	1.1	Islam Ahmadov	Updated version
15.12.2025	1.2	Uzeyir Gurbanli	Final version

## 1. INTRODUCTION

This document is Certification Policy (CP) defines procedural and operational requirements that SINAM adheres to and requires entities to adhere to when issuing and managing electronic certificates of SINAM CSP. The CP sets forth business, legal, and technical requirements for approving, issuing, managing, using, revoking, and renewing digital certificates within “SINAM” Certification Service Provider(SINAM CSP) and providing associated trust services for participants of Public Key Infrastructure environment. This CP applies to all certificates issued by the SINAM CSP.

This CP complies with International standards. The headings in this document follow the structure set forth in Internet Engineering Task Force Request for Comment (RFC) 3647: Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework.

### 1.1. Overview

SINAM CSP is intended to issue electronic certificates and manage lifecycle of the issued electronic certificates. Individuals as well as legal entities are eligible to get trusted electronic certificates within the framework of procedural and operational requirements described in this CP and the related Certification Practice Statement (CPS).

This CP is intended for:

- Individuals and legal entities that going or already issued digital certificates to understand the practices requirements for the lifecycle management of the Certificates issuing by the SINAM CSP.
- Relying parties, that need to understand practice and policy of SINAM CSP in providing electronic certificate related services.

### 1.2. Document name and identification

This document title: Certificate Policy for SINAM CSP.

Document date: May 2025

The Object Identifier (OID) assigned: 1.3.6.1.4.1.63647.1.2.1

OID specified in chart below:

OID Component	Meaning
1.3.6.1	Internet attribute of IANA
4	Private entity attribute of IANA
1	Private enterprise attribute of IANA
63647	IANA PEN (Private Enterprise Number) of SINAM
1	SINAM PKI

2	SINAM PKI Policies
1	CP

## 1.3. PKI Participants

This section identifies and describes main participants within the SINAM PKI.

### 1.3.1. Certification authorities

The SINAM CSP represent the second level CA subordinated to Kenya ROOT CA owned and operated by Communications Authority of Kenya. The SINAM CSP issues digital certificates to Subscribers for purposes stipulated within this CP.

### 1.3.2. Registration authorities

SINAM CSP may designate specific Registration Authority (RA) to perform identification, authentication, and registration of Subscribers, as well as accepting applications for certificate blocking and/or revocations as defined in this CP and corresponding CPS. Registration Authority functions can be delegated to regional government institutions as well as to **Huduma service** centers with appropriate agreements between SINAM CSP and these institutions.

### 1.3.3. Subscribers

Subscribers are individuals or legal entities whose name appears in corresponding Certificate under subject attribute. Subscribers responsible to use their key pair and certificate in accordance with this CP and corresponding CPS.

### 1.3.4. Relying parties

Relying party is any entity involved in a transaction based on electronic signature and certificates or other certification services provided by the SINAM CSP. The Relying party use the information in the certificate to determine the suitability of the certificate for a particular use, including the following areas:

- Purpose for which a certificate is used.
- Digital signature verification responsibilities.
- Revocation and suspension checking responsibilities.
- Acknowledgement of applicable liability caps and warranties.

### 1.3.5. Other participants

#### 1.3.5.1. Executive Power Body

The Communications Authority of Kenya acting as executive power body and responsible for Certification Service Centers accreditation. Accreditation process performed in accordance with Law of the Republic of Kenya on electronic signature and electronic document (Legislation).

### **1.3.5.2. Certificate Service Center**

Certificate Service Center is a legal entity or physical person dealing as entrepreneurship with no legal person founding, providing different certificate services set by the Legislation.

### **1.3.5.3. Accredited Certificate Service Center**

Certificate Service Centers accredited by the Executive Power Body to provide certification services to Subscribers. The SINAM as ACSC is bound to act according to the Legislation and the terms of this CP and corresponding CPS.

## **1.4. Certificate usage and applicability**

Certificates issued by certificate authority SINAM CSP shall be used for::

- **[Authentication]** (e.g., user login, VPN access).
- **[Digital Signatures]** (e.g., document signing, code signing).
- **[Encryption]** (e.g., email encryption, TLS/SSL for secure communications).
- **[Device Identity]** (e.g., IoT devices, servers).

### **1.4.1.Appropriate Certificate Uses**

The SINAM CSP's certificates issued under this CP may be used for Subscriber identification, accountability and non-repudiation in digital communications and transactions.

### **1.4.2.Prohibited Certificate Uses**

All certificates issued under this CP shall not be used for purposes other than what is allowed in this CP.

The certificates issued by the SINAM CSP shall not be used for purposes that violate legislation.

### **1.4.3.Legal significance**

The certificates issued under this CP allow legal interpretations and admissible as evidence in legal proceedings.

The SINAM shall be indemnified from any claims arising from prohibited or inappropriate use of certificates.

## **1.5. Policy administration**

The authority and responsibility for this CP maintenance, endorsement, and issuance rests with SINAM.

### **1.5.1.Update Procedure**

This CP and corresponding CPS should be prepared and reviewed by the SINAM. During review, SINAM determines whether the change is minor or major. The determination is based on an assessment of risk from the changes proposed. All modifications are enforced once the SINAM is completed.

- Minor modifications versions will be incremented in tenths (i.e., replace v1.0 with v1.1).
- Major modifications versions will be incremented in whole number increments (i.e., replace v1.0 with v2.0).

SINAM advises the public 30 days prior to any update of this CP and corresponding CPS. New versions become effective with their publication at the official website:

<https://csp.sinam.net/repository>

The review and approval process shall assure that this CP and corresponding CPS adheres to RFC 3647.

### **1.5.2.Contact information**

In case of any question regarding this document, contact SINAM.

- Tel: +994 12 510 11 00
- Email: [csp@sinam.net](mailto:csp@sinam.net)
- Address: 68, B. Vakhazadeh Str., AZ1141, Baku, Azerbaijan

## **1.6. Definitions and acronyms**

A list of definitions and acronyms provided in Appendix A of this CP.

## **2. PUBLICATION AND REPOSITORY RESPONSIBILITIES**

### **2.1. Repositories**

The SINAM CSP responsible for arrangement and maintaining own publicly accessible online repository which contain its documentation (CP, CPS, and other regulatory or legal documents).

The online repositories for SINAM CSP are publicly available at the URL:

<https://csp.sinam.net/repository>

### **2.2. Publication of certification information**

The SINAM CSP must publish certification information in its own repository.

### **2.3. Time or frequency of publication**

Approved versions of documents should be published on the repository within 24 hours.

### **2.4. Access controls on repositories**

Information published on a repository should be publicly available. Excluding reasonable scheduled maintenance and unforeseen failures, the rate of repository availability should meet 24/7 basis.

The SINAM CSP shall provide unrestricted read-only access into its repositories to public. The SINAM CSP shall implement logical and physical controls to prevent unauthorized write access to such repositories.

## **3. IDENTIFICATION AND AUTHENTICATION**

### **3.1. Naming**

#### **3.1.1.Types of Names**

Every certificate issued under this CP shall have a clear distinguishable and unique Distinguished Name (DN) in the certificate subjectName field, which are described in Appendix B.

The subject name of the applicants shall be compatible with X.501 standard.

#### **3.1.2.Need for Names to be Meaningful**

The subject name must represent specific end entity in a clear manner and must be reasonably associated with its authenticated name.

#### **3.1.3.Anonymity or Pseudonymity of Subscribers**

No anonymity or pseudonymity is supported.

#### **3.1.4.Rules for Interpreting Various Name Forms**

Names must be ASCII encoded and should contain only alphanumeric, dot and underscore characters in accordance with section 3.1.1.

#### **3.1.5.Uniqueness of Names**

See section 3.1.1. and section 3.1.2

#### **3.1.6.Recognition, Authentication, and Role of Trademarks**

Certificate Applicants cannot use names in their application that violate the Intellectual Property Rights of others. However, the SINAM CSP and its designated RAs shall not check if the applicant has the right to use the name they're requesting.

The SINAM CSP may revoke a certificate upon receipt of a properly authenticated order from a court requiring the revocation of a certificate or certificates containing a disputed name.

### **3.2. Initial identity validation**

#### **3.2.1.Method to Prove Possession of Private Key**

The SINAM CSP shall be responsible for verifying that the certificate applicant possesses the private key that corresponds to the public key being certified. This verification should be done by checking the signature on the certificate request, which is expected to be signed using the private key associated with the public key being certified.



### **3.2.2. Authentication of Organization Identity**

If the certificate pertains to an organization, then a representative authorized by the organization should apply for the certificate. The SINAM CSP or its designated RAs must authenticate the identity and authorization of this representative.

To obtain an organizational certificate, the applicant must provide certain documents, including registration documents issued by a government entity responsible for company registrations and a document that demonstrates the applicant's authority to act on behalf of the organization.

The request must be accompanied by an identity proof.

### **3.2.3. Authentication of Individual Identity**

Authentication of applying representatives' individual identity should be performed by the SINAM CSP or its designated RAs in accordance with Legislation. The verification process requires the applicant to provide national identity card or passport.

### **3.2.4. Non-Verified Subscriber Information**

Non-verifiable subscriber's information should not be included in certificates issuing under this CP and corresponding CPS.

### **3.2.5. Validation of Authority**

The SINAM CSP and its designated RAs shall be responsible for verifying that the applicant possesses rights, privileges, or authorizations to apply for the certificate prior to its issuance. See section 3.2.2. and section 3.2.3.

## **3.3. Identification and authentication for re-key requests**

### **3.3.1. Identification and authentication for routine re-key**

The SINAM CSP requires subscribers to generate a new key pair once every three years. When re-keying, the SINAM CSP should issue a new certificate with the same attributes as the previous one, but with a different key pair and serial number. The new certificate may have a new validity period or use the same period as the old certificate.

If subscribers possess a valid authentication certificate, they may use it to identify themselves to the SINAM CSP. Otherwise, they must follow the same identification and authentication procedures as when they first time obtained certificate.

### **3.3.2. Identification and authentication for re-key after revocation**

See section 3.3.1.

## **3.4. Identification and authentication for revocation request**

Subscriber's revocation requests shall always be authenticated. Requests to revoke a certificate may

SINAM CSP – Certificate Policy

be authenticated using that certificate's corresponding Public Key, regardless of whether the Private Key has been compromised.

## **4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS**

### **4.1. Certificate application**

This section outlines the conditions for initial application for getting a certificate from the SINAM CSP through its designated RA. When applicant applies for a certificate, the RA must verify their authorization and identity and inform the SINAM CSP that the applicant meets the authentication criteria and what information should be included in the certificate. When the SINAM CSP receives the confirmation and certificate information from the RA, it must check if it is coming from an authorized RA and perform private key ownership verification by the CA or RA. The SINAM CSP shall then issue the certificate for the applicant and send it to them and/or the requesting RA.

#### **4.1.1. Who can submit a certificate application**

The submission of certificate requests can be made by either the Applicant or a person who has been given the authority to request certificates on behalf of the Applicant. It shall be the responsibility of the Applicant to ensure the accuracy and validity of any information provided by themselves or their authorized representative to the SINAM CSP.

#### **4.1.2. Enrolment process and responsibilities**

To obtain a requested certificate, the subscriber must ratify a specific agreement made for subscribers. See CPS for more information regarding the enrollment process.

### **4.2. Certificate application processing**

#### **4.2.1. Performing identification and authentication functions**

See section 3.2.

#### **4.2.2. Approval or rejection of certificate applications**

To obtain a subscriber certificate, the applicant must pass the identification and authentication process. If the necessary Subscriber information cannot be authenticated, or the applicant does not provide the required supporting documentation or respond to notices within the given timeframe, the certificate application may be rejected. Additionally, if the RA believes that issuing a certificate to the applicant may harm the SINAM CSP's reputation or the applicant cannot prove ownership of the private key, the application may also be rejected.

#### **4.2.3. Time to Process Certificate Applications**

The SINAM CSP shall process certification applications within a reasonable commercial timeframe, as outlined in the CPS or any agreement with PKI participants. However, the SINAM CSP cannot be held responsible for delays caused by the applicant or for circumstances beyond the control of the CA.

## **4.3. Certificate issuance**

### **4.3.1.CA Actions during Certificate Issuance**

Before issuing a certificate, the applicant must first accept the terms of a Subscriber Agreement and complete the application form. Once the registration process is successfully completed and the request is validated, the SINAM CSP shall create and sign the certificate, provided that all necessary requirements have been met, and make the certificate available to the subscriber.

### **4.3.2.Notification to Subscriber by the CA of Issuance of Certificate**

The SINAM CSP must inform subscribers that their certificates have been created and provide access to them either directly or through its designated RA.

## **4.4. Certificate acceptance**

### **4.4.1.Conduct Constituting Certificate Acceptance**

The acceptance of a certificate depends on the agreements, the requirements stated in this CP and CPS, and the relevant agreements related to the certificate issuance. When a person uses or depends on a certificate, they shall agree to be bound by the terms and conditions of the CP and applicable agreements, which is an irrevocable agreement.

### **4.4.2.Publication of the Certificate by the CA**

The SINAM CSP shall not make end-user certificates publicly available, but instead only shares them with the individual or entity that requested them.

### **4.4.3.Notification of Certificate Issuance by the CA to Other Entities**

No stipulation.

## **4.5. Key pair and certificate usage**

### **4.5.1.Subscriber Private Key and Certificate Usage**

Subscribers are required to use their Certificates only for authorized and lawful purposes in compliance with the Subscriber Agreement, this CP, and applicable laws. They must ensure that their Private Keys are not accessed by anyone else and inform the SINAM CSP and/or its designated RAs in case the private key is compromised or suspected to be compromised. Additionally, after the certificate's expiration or revocation, subscribers must cease using the associated private key(s).

### **4.5.2.Relying Party Public Key and Certificate Usage**

When utilizing a subscriber's public key and associated certificate, a relying party must fulfill these duties:

- Verify that the key is suitable for the intended purpose as stated in this CP, and that such usage aligns with the relevant certificate information, including but not restricted to, the key usage, extended key usage, and certificate policies extension fields.
- Confirm the certificate's status by referring to the appropriate and up-to-date CRLs or any other services indicated in the SINAM CSP's Subscriber certificates.

## **4.6. Certificate renewal**

Certificate Renewal means the issuance of a new Certificate without changing the Public Key or any other information in the Certificate. The Certificate Renewal service is not supported under this CP.

### **4.6.1.Circumstance for Certificate Renewal**

No stipulation.

### **4.6.2.Who May Request Renewal**

No stipulation.

### **4.6.3.Processing Certificate Renewal Requests**

No stipulation.

### **4.6.4.Notification of New Certificate Issuance to Subscriber**

No stipulation.

### **4.6.5.Conduct constituting acceptance of a renewal certificate**

No stipulation.

### **4.6.6.Publication of the renewal certificate by the CA**

No stipulation.

### **4.6.7.Notification of certificate issuance by the CA to other entities**

No stipulation.

## **4.7. Certificate re-key**

Certificate Re-Key is when all the identifying information from CA Certificates is duplicated in a new Digital Certificate, but there is a different public key and a different validity period.

### **4.7.1.Circumstance for Certificate Re-Key**

No stipulation.

#### **4.7.2. Who May Request Certification of a New Public Key**

No stipulation.

#### **4.7.3. Processing Certificate Re-Keying Requests**

No stipulation.

#### **4.7.4. Notification of New Certificate Issuance to Subscriber**

No stipulation.

#### **4.7.5. Conduct Constituting Acceptance of a Re-Keyed Certificate**

No stipulation.

#### **4.7.6. Publication of the Re-Keyed Certificate by the CA**

No stipulation.

#### **4.7.7. Notification of Certificate Issuance by the CA to Other Entities**

No stipulation.

### **4.8. Certificate modification**

Certificate modification is performed when change occurs in any of the information of an existing certificate. After modification, the original certificate may or may not be revoked but it's not allowed to be rekeyed, renewed, or modified anymore. The Certificate modification service is not supported under this CP.

#### **4.8.1. Circumstance for Certificate Modification**

No stipulation.

#### **4.8.2. Who May Request Certificate Modification**

No stipulation.

#### **4.8.3. Processing Certificate Modification Requests**

No stipulation.

#### **4.8.4. Notification of New Certificate Issuance to Subscriber**

No stipulation.

#### **4.8.5. Conduct Constituting Acceptance of Modified Certificate**

No stipulation.

#### **4.8.6. Publication of the Modified Certificate by the CA**

No stipulation.

#### **4.8.7. Notification of Certificate Issuance by the CA to Other Entities**

No stipulation.

### **4.9. Certificate revocation and suspension**

#### **4.9.1. Circumstances for Revocation**

The SINAM CSP shall have the authority to revoke Subscribers' Certificates for several reasons, which are not limited to:

- Failure by the Subscriber to fulfill their duties under this CP or other applicable laws, regulations, or agreements;
- The SINAM CSP determines that a Certificate was issued incorrectly as per this CP;
- The Subscriber or another authorized agent requests revocation of their Certificate due to suspected compromise of the Subscriber's private key, loss or theft of the Subscriber's cryptographic storage device or no longer requiring the certificate;
- The SINAM CSP will revoke a Subscriber's Certificate if they are no longer part of the organization;
- Termination of the Registration Authority's Agreement.

#### **4.9.2. Who can Request Revocation**

The following entities can request revocation of a Certificate:

- Communications Authority of Kenya
- SINAM CSP
- Any legal entity or government body

#### **4.9.3. Procedure for Revocation Request**

To revoke a certificate, one must specify which certificate is being revoked, provide a reason for the revocation, and ensure that the request is authenticated. The SINAM CSP and its designated RA must verify both the request and the requester's authorization in accordance with relevant agreements.

#### **4.9.4.Revocation Request Grace Period**

Upon a revocation request has been verified it must apply immediately.

#### **4.9.5.Time within which must process the revocation request**

See section 4.9.4.

#### **4.9.6.Revocation Checking Requirement for Relying Parties**

Relying parties should comply with the signature validation requirements defined in this CP.

#### **4.9.7.CRL Issuance Frequency (if applicable)**

See APPENDIX B.

#### **4.9.8.Maximum Latency for CRLs (if applicable)**

See APPENDIX B.

#### **4.9.9.On-Line Revocation/Status Checking Availability**

See APPENDIX B.

#### **4.9.10. On-Line Revocation Checking Requirements**

See APPENDIX B.

#### **4.9.11. Other Forms of Revocation Advertisements Available**

No stipulation.

#### **4.9.12. Special Requirements Re-Key Compromise**

No stipulation.

#### **4.9.13. Circumstances for Suspension**

No stipulation.

#### **4.9.14. Who can Request Suspension**

No stipulation.

#### **4.9.15. Procedure for Suspension Request**

No stipulation.



#### **4.9.16. Limits on Suspension Period**

No stipulation.

#### **4.10. Certificate status services**

The certificate status service shall be available from CRL's in the repositories and via an OCSP responder.

##### **4.10.1. Operational Characteristics**

No stipulation.

##### **4.10.2. Service Availability**

Public service of certificate status check shall be available 24/7/365.

##### **4.10.3. Optional Features**

No stipulation.

#### **4.11. End of subscription**

No stipulation.

#### **4.12. Key escrow and recovery**

Key escrow and recovery shall not be allowed.

##### **4.12.1. Key Escrow and Recovery Policy and Practices**

No stipulation.

##### **4.12.2. Session Key Encapsulation and Recovery Policy and Practices**

No stipulation.

## **5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS**

This section describes non-technical security controls requirements to be applied by the SINAM CSP.

### **5.1. Physical controls**

The implementation of physical and environmental security policies is required by the SINAM CSP for the systems used in certificate issuance and management. These policies should address various concerns such as controlling physical access, protecting against natural disasters and fire hazards, preparing for failures of utilities such as power and telecommunications, preventing building collapse, and safeguarding against theft, burglary, and potential disasters. Furthermore, appropriate measures must be taken to prevent any harm, damage, or loss to assets, minimize disruptions to business activities, and prevent theft or misuse of information and information processing facilities.

#### **5.1.1.Site Location and Construction**

The SINAM CSP operator secure premises should locate in an area appropriate for high-security operations.

#### **5.1.2.Physical Access**

The site for the SINAM CSP should satisfies the following requirements:

- manually or electronically always monitored for unauthorized intrusion.
- access to the server rooms is limited to those personnel identified on an access list.
- dual access control implemented to the server rooms.
- all personnel not on the access list are properly escorted and supervised.
- site access log is maintained and inspected periodically.

#### **5.1.3.Power and Air Conditioning**

Power supply and air conditioning in use should provide high degree of redundancy.

#### **5.1.4.Water Exposures**

The site for the SINAM CSP should be protected from any water exposures.

#### **5.1.5.Fire Prevention and Protection**

The site for the SINAM CSP must implement detection and protection measures against fire exposures.

#### **5.1.6.Media Storage**

Backups and electronic media utilized by the SINAM CSP for its operations should be stored securely.

### **5.1.7.Waste Disposal**

To prevent unwanted disclosure of waste that could contain sensitive data related to the SINAM CSP should be disposed in secure manner.

### **5.1.8.Off-Site Backup**

The SINAM CSP shall maintain backup of critical system data or any other sensitive information, including audit data, in a secure off-site facility.

## **5.2. Procedural controls**

The SINAM CSP shall follow personnel and management practices that provide reasonable assurance of the trustworthiness and competence of the members of the staff and of the satisfactory performance of their duties related.

### **5.2.1.Trusted Roles**

The SINAM CSP's staff involved in infrastructure operations, administrators, security officers, auditors and any other operations that materially affect such operations must be considered as serving in a trusted position.

The SINAM CSP must conduct appropriate background check of all members of staff who are candidates to serve in trusted roles.

### **5.2.2.Number of Persons Required per Task**

The SINAM CSP must implement security controls about the duties and performance of the members of its staff.

### **5.2.3.Identification and Authentication for Each Role**

The SINAM CSP should ensure that all actions within the PKI infrastructure could be attributed to the specific system and the member staff that has performed particular action.

### **5.2.4.Roles Requiring Separation of Duties**

The SINAM CSP must apply dual control for all critical functions.

## **5.3. Personnel controls**

The SINAM CSP shall apply certain security controls about the job duties and performance of its staff.

### **5.3.1.Qualifications, Experience, and Clearance Requirements**

The SINAM CSP should perform checks to evaluate the background, qualifications, and experience required to perform specific tasks.

### **5.3.2. Background Check Procedures**

The SINAM CSP should make the relevant checks to prospective employees by means of status reports issued by a government authority or third-party feedback memos.

### **5.3.3. Training Requirements**

The SINAM CSP should define training plan for its personnel on annually basis.

### **5.3.4. Retraining Frequency and Requirements**

The SINAM CSP shall apply continuity education approach to ensure updates in the knowledge of the personnel.

### **5.3.5. Job Rotation Frequency and Sequence**

No stipulation.

### **5.3.6. Sanctions for Unauthorized Actions**

The SINAM CSP should define playbook with set of actions and sanctions to internal and external personnel who breached Cyber Security policies.

### **5.3.7. Independent Contractor Requirements**

For SINAM CSP should apply for independent subcontractors and their personnel the same background checks as the SINAM CSP 's personnel.

### **5.3.8. Documentation Supplied to Personnel**

The SINAM CSP shall make available to personnel only that documentation, trainings or other material required to perform job duties well.

## **5.4. Audit logging procedures**

The SINAM CSP should enforce all major event logging in all critical information systems.

### **5.4.1. Types of Events Recorded**

The SINAM CSP should implement and properly apply event monitoring system with workbook automation.

### **5.4.2. Frequency of Processing Log**

The SINAM CSP should enforce all major event logging in all critical information systems.

### **5.4.3. Retention Period for Audit Log**

The SINAM CSP shall store and retain all logged information for a year.

#### **5.4.4. Protection of Audit Log**

The SINAM CSP must arrange collection and external storage for logged information.

#### **5.4.5. Audit Log Backup Procedures**

The SINAM CSP shall perform regular backup of audit trails.

#### **5.4.6. Audit Collection System.**

The SINAM CSP must utilize internal system for audit archive collection (log collection).

#### **5.4.7. Notification to Event-Causing Subject**

The SINAM CSP should implement and properly apply event monitoring system with workbook automation.

#### **5.4.8. Vulnerability Assessments**

The SINAM CSP should perform regular vulnerability assessments for external and internal infrastructure.

### **5.5. Records archival**

The SINAM CSP must define archive operations regulatory.

#### **5.5.1. Types of Records Archived**

The SINAM CSP must define archive operations regulatory.

#### **5.5.2. Retention Period for Archive**

The SINAM CSP must define archive operations regulatory.

#### **5.5.3. Protection of Archive**

The SINAM CSP must define archive operations regulatory.

#### **5.5.4. Archive Backup Procedures**

The SINAM CSP must define archive operations regulatory.

#### **5.5.5. Requirements for Time-Stamping of Records**

The SINAM CSP should define guidelines for information security record management and implement them in to cyber security infrastructure.

#### **5.5.6. Archive Collection System (Internal or External)**

The SINAM CSP must define archive operations regulatory.

#### **5.5.7. Procedures to Obtain and Verify Archive Information**

The SINAM CSP must define archive operations regulatory.

### **5.6. Key changeover**

No stipulation.

### **5.7. Compromise and disaster recovery**

The SINAM CSP should develop specific Disaster Recovery Plan.

#### **5.7.1. Incident and Compromise Handling Procedures**

The SINAM CSP shall develop and implement cyber incidents ticketing solution and playbooks for security incidents and compromise events handling.

#### **5.7.2. Computing Resources, Software, and/or Data are Corrupted**

The SINAM CSP should develop specific Disaster Recovery Plan.

#### **5.7.3. Entity Private Key Compromise Procedures**

The Disaster Recovery Plans (DRP) should include playbook for the case when the SINAM CSP's private key is compromised or suspected to be compromised.

#### **5.7.4. Business Continuity Capabilities after a Disaster**

The SINAM CSP must deploy the capability to recover its mission critical operations immediately following a disaster with full support for all the key functions.

### **5.8. CA or RA termination**

The SINAM CSP's termination procedures should be performed in accordance the Kenya legislation.

## **6. TECHNICAL SECURITY CONTROLS**

### **6.1. Key pair generation and installation**

#### **6.1.1.Key Pair Generation**

The SINAM CSP key pair should be generated through dedicated Key Generation Ceremony. The SINAM CSP private keys must be protected within a hardware security module (HSM) that conformant to FIPS 140-2 at least level 2.

To ensure the security the key pairs shall be either generated or safeguarded in cryptographic modules that meet at least FIPS 140-2 Level 2 standards.

#### **6.1.2.Private Key Delivery to Subscriber**

The SINAM CSP is responsible for providing Subscriber private keys in a secure format. This secure format could be in the form of cryptographic tokens or smartcards, especially when the keys are generated in cryptographic hardware.

#### **6.1.3.Public Key Delivery to Certificate Issuer**

The Subscriber's public keys must be delivered to the SINAM CSP using industry standard secure protocol.

#### **6.1.4.CA Public Key Delivery to Relying Parties**

SINAM CSP should ensure that their Subscribers and Relying Parties receive and maintain the trust anchor in a trustworthy manner.

#### **6.1.5.Key Sizes**

For details, refer to APPENDIX B.

#### **6.1.6.Public Key Parameters Generation and Quality Checking**

The SINAM CSP is required to generate key pairs that adhere to the best industry standards and must employ appropriate methods to verify that the Subscriber key pairs are appropriate.

#### **6.1.7.Key Usage Purposes (as per X.509 v3 key usage field)**

For details, refer to APPENDIX B.

### **6.2. Private key protection and cryptographic module engineering controls**

#### **6.2.1.Cryptographic Module Standards and Controls**

Cryptographic modules, smartcards or tokens employed for private key protection issued by the SINAM CSP shall comply with FIPS-PUB 140-2 "Security Requirements for Cryptographic Modules".

### **6.2.2.Private Key (n out of m) Multi-Person Control**

No stipulation.

### **6.2.3.Private Key Escrow**

No private keys are escrowed.

### **6.2.4.Private Key Backup**

The private keys shall not be backed up by the SINAM CSP.

### **6.2.5.Private Key Archival**

Subscriber's private keys shall not be archived by the SINAM CSP.

### **6.2.6.Private Key Transfer into or from a Cryptographic Module**

The SINAM CSP shall prohibit the transfer of Private Keys to and from cryptographic modules or devices. Any such keys generated within these secure cryptographic devices must remain within them and not be transferred outside of them.

### **6.2.7.Private Key Storage on Cryptographic Module**

The Private Keys must be kept in devices that comply with FIPS 140-2 level 2 standards.

### **6.2.8.Method of Activating Private Key**

To activate their subscriber private keys, the subscriber must provide the passphrase that was set during the initial certificate generation process.

### **6.2.9.Method of Deactivating Private Key**

Activated subscriber private keys must not be left unattended. It shall be the responsibility of subscribers to deactivate their private keys by logging out of the cryptographic device or by having them automatically deactivated after a period of inactivity as configured.

### **6.2.10. Method of Destroying Private Key**

No stipulation.

### **6.2.11. Cryptographic Module Rating**

No stipulation.



## **6.3. Other aspects of key pair management**

### **6.3.1.Public Key Archival**

The public key shall be archived as part of the certificate archive process.

### **6.3.2.Certificate Operational Periods and Key Pair Usage Periods**

For details, refer to APPENDIX B.

## **6.4. Activation data**

### **6.4.1.Activation Data Generation and Installation**

The strength of the activation data, along with any other access control measures, must be sufficient to safeguard the private keys. The activation data should be chosen by the user.

### **6.4.2.Activation Data Protection**

The activation data must be kept safe from any disclosure or compromise. If the data is written down, it should be secured at the same level as the data that the cryptographic device is used to protect, and should not be stored with the cryptographic device.

### **6.4.3.Other Aspects of Activation Data**

No stipulation.

## **6.5. Computer security controls**

### **6.5.1.Specific Computer Security Technical Requirements**

The computer security functions may be provided by the operating system, or through a combination of operating system, software, and physical safeguards.

### **6.5.2.Computer Security Rating**

The SINAM CSP software shall be certified under the Common Criteria or ITSEC.

## **6.6. Life cycle technical controls**

### **6.6.1.System Development Controls**

The SINAM CSP's design, installation, and operation shall be documented by qualified personnel. The SINAM operational personnel should develop and produce appropriate qualification documentation establishing that the SINAM CSP components are properly installed and configured and operate in accordance with the technical specifications.

### **6.6.2.Security Management Controls**

The configuration of the SINAM CSP systems as well as any modifications and upgrades shall be

documented and controlled. There shall be a mechanism for detecting unauthorized modification to software or configuration. A formal configuration management methodology shall be used for installation and ongoing maintenance of the system.

### **6.6.3.Life Cycle Security Controls**

No stipulation.

## **6.7. Network security controls**

The SINAM CSP shall employ appropriate security measures to ensure they are guarded against denial of service and intrusion attacks. These network security controls include effective firewall management, including port restrictions and IP address filtering. Any boundary control devices used to protect the network on which PKI equipment is hosted shall deny all but the necessary services to the PKI equipment.

## **6.8. Time-stamping**

All SINAM CSP components should regularly synchronize with a time service. A dedicated authority, such as a timestamping authority, may be used to provide this trusted time.

Time derived from the time service shall be used for establishing the time of:

- Initial validity time of the SINAM CSP's certificate.
- Revocation of the SINAM CSP's certificate.
- Posting of CRL updates.
- Issuance of Subscriber end entity.
- Certificates.
- OCSP response.

Electronic or manual procedures may be used to maintain system time. Clock adjustments are auditable events as stipulated in Section 5.4.1. When providing a certified electronic timestamp service, the SINAM CSP must refer.

# **7. CERTIFICATE, CRL, AND OCSP PROFILES**

This section is used to specify the certificate format and, if CRLs and/or OCSP are used, the CRL and/or OCSP format. This includes information on profiles, versions, and extensions used.

## **7.1. Certificate profile**

Certificates issued under this policy shall conform to the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile.

The certificate profiles and attributes described in APPENDIX B.

### **7.1.1.Version Number(s)**

All certificates shall be X.509 v3 certificates (populate version field with integer "2").

### **7.1.2.Certificate Extensions**

Certificate extensions of all certificates shall comply with RFC 5280.

### **7.1.3.Algorithm Object Identifiers**

Certificates issued under this CP shall use the Joint-ISO-ITU Object Identifier (OID).

### **7.1.4.Name Forms**

The subject and issuer fields of the base certificate shall be populated with a non-empty X.500 Distinguished Name as specified in Section 3.1.1 above. Distinguished names are composed of standard attribute types, such as those identified in RFC 5280.

### **7.1.5.Name Constraints**

No stipulation.

### **7.1.6.Certificate Policy Object Identifier**

The SINAM CSP and Subscriber Certificates issued under this CP shall assert a certificate policy OID.

### **7.1.7.Policy Qualifiers Syntax and Semantics**

No stipulation.

### **7.1.8.Processing Semantics for the Critical Certificate Policies Extension**

No stipulation.

## **7.2. CRL profile**

### **7.2.1.Version Number(s)**

CRLs shall be X.509 version 2.

### **7.2.2.CRL and CRL Entry Extensions**

CRLs shall use RFC 5280 CRL and CRL entry extension.

## **7.3. OCSF profile**

### **7.3.1.Version Number(s)**

OCSF responses shall conform to version 1 of RFC 2560.

### **7.3.2.OCSF Extensions**

OCSF shall response signing certificates using the following extensions:

- Key usage (not critical)
- Authority key ID (not critical)
- Extended key usage (critical)
- OCSF no check (not critical)

## **8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS**

Refer to Clause 6.7 of ETSI EN 319 411-1 [8] and ETSI EN 319 411-2 [9].

## **9. OTHER BUSINESS AND LEGAL MATTERS**

### **9.1. Fees**

#### **9.1.1.Certificate issuance or renewal fees**

The SINAM may charge fees for Certificate issuance, renewals, renewals or re-key.

#### **9.1.2.Certificate access fees**

The SINAM shall not charge no fee to for making a Certificate available in a repository.

#### **9.1.3.Revocation or status information access fees**

The SINAM may reserve the right to charge a fee for providing customized CRLs or other value-added revocation and status information services.

#### **9.1.4.Fees for other services**

See Section 9.1.3.

#### **9.1.5.Refund policy**

No stipulation.

### **9.2. Financial responsibility**

No stipulation.

#### **9.2.1.Insurance coverage**

No stipulation.

#### **9.2.2.Other assets**

No stipulation.

#### **9.2.3.Insurance or warranty coverage for end-entities**

No stipulation.

### **9.3. Confidentiality of business information**

#### **9.3.1.Scope of confidential information**

The following items shall be classified as being confidential information and therefore are subject to reasonable care and attention CAs:

- Personal Information as detailed in Section 9.4.
- Audit logs from CA and RA systems.

- Activation data used to active CA Private Keys as detailed in Section 6.4.
- CAs business process documentation including Disaster Recovery Plans (DRP) and Business Continuity Plans (BCP).
- Audit Reports from an independent auditor and internal auditor as detailed in Section 8.
- Vulnerability assessment results.

Unless required by law or court order, any disclosure of such information requires the subscriber's written prior consent.

### **9.3.2.Information not within the scope of confidential information**

Information appearing in CA certificates or stored in the Repository shall be considered as non-confidential.

### **9.3.3.Responsibility to protect confidential information**

The SINAM is responsible for protecting an information, which considered as confidential and are under their possession, custody, and control.

## **9.4. Privacy of personal information**

### **9.4.1.Privacy plan**

Any information that can identify an individual, as specified in the Privacy Policy of SINAM, shall be safeguarded against unauthorized exposure.

### **9.4.2.Information treated as private**

Information pertaining to Subscribers that cannot be accessed by the general public via the content of the certificate, repository, and online Certificate Revocation Lists (CRLs) shall be considered confidential.

### **9.4.3.Information not deemed private**

The details found in Subscriber Certificates, such as the public key and the subscriber's name, shall not be considered confidential. SINAM's Privacy Policy specifies the types of personally identifiable information that can be gathered for the purpose of issuing a certificate.

### **9.4.4.Responsibility to protect private information**

SINAM's staff, vendors, and service providers shall treat personal information with utmost confidentiality, as per the contractual obligations that are at least as protective as the provisions outlined in section 9.4.1.

### **9.4.5.Notice and consent to use private information**

The requirements for providing notification and obtaining consent for the use of confidential information shall be outlined in the relevant Agreements and SINAM's Privacy Policy.

#### **9.4.6. Disclosure pursuant to judicial or administrative process**

SINAM's Privacy Policy must be followed when managing any information that is revealed.

#### **9.4.7. Other Information Disclosure Circumstances**

See Section 9.4.1.

### **9.5. Intellectual property rights**

All participants operating under this CP shall follow the intellectual property right legislation.

### **9.6. Representations and warranties**

#### **9.6.1. CA representations and warranties**

SINAM shall be committed to provide its services for issuing certificates in compliance with this CP.

#### **9.6.2. RA representations and warranties**

SINAM shall mandate that all RAs operating under its PKI Hierarchy guarantee that they conform to this CP and the pertinent CPS. They also have the option to incorporate supplementary statements in their CPS or RA agreement.

#### **9.6.3. Subscriber Representations and Warranties**

Subscriber shall be committed to provide its services for issuing certificates in compliance with this CP.

#### **9.6.4. Relying Party Representations and Warranties**

Relying parties must use certificates issued by the SINAM CSP in accordance with this CP.

#### **9.6.5. Representations and Warranties of Other Participants**

No stipulation.

### **9.7. Disclaimers of warranties**

The SINAM CSP shall assume no liability except as stated in the relevant contracts.

### **9.8. Limitations of liability**

The SINAM CSP shall not be liable for any damages to subscribers, relying parties or any other parties arising out of or related to the misuse of, or reliance on certificate issued and has been expired, revoked, tampered, compromised, subject to misrepresentation, used not in-line with this CP.



## **9.9. Indemnities**

Relying and other parties must agree to indemnify and hold the SINAM CSP free from any claims, actions or demands that are caused by the use or publication of a certificate.

## **9.10. Term and termination**

### **9.10.1. Term**

This CP and amendments to this CP shall become effective upon publication in the Repository.

### **9.10.2. Termination**

This CP shall remain in force until it is amended or replaced by a new version.

### **9.10.3. Effect of Termination and Survival**

Upon termination of this CP, the SINAM CSP shall be bound by its terms for all issued certificates until periods of their validity.

## **9.11. Individual notices and communications with participants**

The SINAM CSP shall communicate all notice on official website which available for all participants.

## **9.12. Amendments**

Material changes to the CP must be published in Repository at least 30 days in advance.

## **9.13. Dispute resolution provisions**

Any dispute resolution between the SINAM CSP and the other parties should be provision in accordance with Kenya legislation.

## **9.14. Governing law**

The SINAM CSP shall provide its services under the provisions of the Kenya legislation.

## **9.15. Compliance with applicable law**

This CP shall be subject to applicable law.

## **9.16. Miscellaneous provisions**

No stipulation.

### **9.16.1. Entire Agreement**

No stipulation.

**9.16.2. Assignment**

No stipulation.

**9.16.3. Severability**

No stipulation.

**9.16.4. Enforcement (attorneys' fees and waiver of rights)**

No stipulation.

**9.16.5. Force majeure**

No stipulation.

**9.17. Other provisions**

No stipulation.


## APPENDIX A

### Definitions and acronyms

Certificate	Also called <i>Digital Certificate</i> . In this document, these terms refer to public key certificates, data structure containing the certificate holder's name and public key, as well as supplementing information (e.g., a serial number, expiration dates, admissible key usages, and links to status information services) and the electronic signature of the issuing certification authority.
Certificate Modification	The act of applying for a new certificate replacing an existing certificate with different public key and other modified contents (beyond validity and serial number).
Certificate Policy (CPS)	A public document describing the rules governing the use of a public key certificate in a particular environment.
Certificate Re-key	The act of applying for a new certificate replacing an existing certificate with different public key but otherwise unchanged contents (except validity and serial number).
Certificate Renewal	The act of applying for a new certificate replacing an existing certificate with the same public key and unchanged contents (except validity and serial number).
Certificate Revocation	The process by which the effectiveness of a certificate is terminated before the envisaged end of its validity.
Certificate Revocation List (CRL)	A list containing revoked certificates and supplementing information.

Certificate Suspension	A preliminary (i.e., reversible) revocation of a certificate.
Certification Authority (CA)	Entity in a PKI which signs digital certificates.
Certification Hierarchy	A tree-like structure consisting of the issuers and subjects in a PKI as nodes, and the certification relationships as edges. An entity is subordinated to another entity if it has received a certificate from the latter one.
Certification Practice Statement (CPS)	A public document describing the practices a CA employs in issuing and managing certificates.
Certification Service Provider (CSP)	An entity that issues certificates or provides other certification services for electronic signatures. In the context of the present document a CSP is an entity who issues certificates in Kenya.
Certification Services	<p>Certification services for electronic signatures are services supporting the issuance and management of certificates for electronic signatures. These services CAN comprise:</p> <ul style="list-style-type: none"><li>• Certificate generation services, i.e., CAs</li><li>• Registration services, i.e., RAs</li><li>• Revocation management services</li><li>• Certificate dissemination services</li><li>• Revocation status information services</li><li>• Signing device preparation services</li><li>• Timestamp services</li></ul>
Cross certificates	<p>Details are given in ETSI EN 319 411.</p> <p>A pair of certificates mutually issued between two CAs and two key pairs of the same CA to establish certification paths between these CA's or key pairs, respectively.</p>
Electronic Signature	Electronic data logically associated with other electronic data which serves as a method for authentication.
End Entity	An entity in a PKI that does not issue certificates.
Issuer	The CA which has signed the certificate.

SINAM	Company operating Kenya Root Certification Authority
OCSP	Online Certificate Status Protocol, standard specified in RFC 6960 for the interactive retrieval of certificate status information.
Public Key Infrastructure (PKI)	A set of policies, processes, and technologies used to verify, enroll, and certify users based on certificates.
RA	Registration Authority
Registration	The process for receiving and processing applications for keys and certificates.
Registration Authority (RA)	Entity in a PKI which performs registration and identification of subscribers and subjects.
Kenya ROOT CA	The highest-level entity in a certification hierarchy. In the present document, the spelling "Kenya ROOT CA" refers to the Kenya ROOT CA operated by Communications Authority of Kenya.
Subject	Entity for who a certificate is issued.
Subscriber	Entity in a PKI who applies for a certificate for itself or another entity (the subject).
Trust Anchor	The public key (or certificate) which is a priori trusted by an entity (the relying party). The certificates of Kenya ROOT CA are supposed to be used as Trust anchors.



## APPENDIX B

### Certificate Profile & Specifications

#### 1. Certificate and Certificate Revocation profiles

##### 1.1 SINAM CSP Certificate Profile

Certificate Attribute	OID	Include	Critical	Fixed / Dynamic	Value	Comment
<b>Basic Certificate Fields</b>						
Version		X			3	(Ver.3)
SerialNumber		X			4f6dee82	Generated by the CA at Key Generation Ceremony
Signature		X			1.2.840.113549.1.1.11	OID (SHA256 with RSA)
Issuer						
countryName	2.5.4.6	X		FIXED	KE	
organizationName	2.5.4.10	X		FIXED	Communications Authority of Kenya	
commonName	2.5.4.3	X		FIXED	Kenya Root CA 2022	
Validity						
NotBefore		X			ISSUING CA: 220707032203Z (July 7, 2022 03:22:03 GMT +4)	The date on which the certificate validity period begins
NotAfter		X		FIXED	ISSUING CA: 280707032203Z (July 7, 2028 03:22:03 GMT+4)	The date on which the certificate validity period ends
Subject						
countryName	2.5.4.6	X		FIXED	AZ	
organizationName	2.5.4.10	X		FIXED	SINAM	
commonName	2.5.4.3	X		FIXED	SINAM CSP	
SubjectPublicKeyInfo						
algorithm		X		FIXED	1.2.840.113549.1.1.1	RSA (2048 Bits)
SubjectPublicKey		X				OCTET STRING The key length depends on application and must be at least 2048 bit
SignatureAlgorithm						
algorithm		X		FIXED	1.2.840.113549.1.1.11	(SHA256)
SignatureValue		X				
<b>Certificate Extensions</b>						
Certificate Policies	2.5.29.32	x		FIXED	[1]Certificate Policy: Policy Identifier=1.3.6.1.4.1.63647.1.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: <a href="https://csp.sinam.net/repository">https://csp.sinam.net/repository</a>	
Key Usage	2.5.29.15	x	TRUE			
Certificate Signing		x				
Off-line CRL Signing		X		FIXED	Set	
CRL Sign		x		FIXED	Set	
authorityKeyIdentifier	2.5.29.35	x	FALSE			
KeyIdentifier		x			SHA256	
subjectKeyIdentifier	2.5.29.14	x	FALSE			
KeyIdentifier		x			SHA256	OCTET STRING
basicConstraints	2.5.29.19	x	TRUE			

## SINAM CSP – Certificate Policy

ca		x		FIXED	Set	
pathLenConstraint		x		FIXED	0	
cRLDistributionPoints	2.5.29.31	x	FALSE	FIXED	[1]CRL Distribution Point: Distribution Point Name: Full Name: <a href="http://csp.sinam.net/cdp/sinamcsp.crl">URL=http://csp.sinam.net/cdp/sinamcsp.crl</a>	Link to online CRL
Authority Information Access	1.3.6.1.5.5.7.1.1	x	FALSE	FIXED	[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= <a href="http://csp.sinam.net/sinamcsp.crl">URL=http://csp.sinam.net/sinamcsp.crl</a>	

**Commented [UG1]:** Must be Kenya root CA URI

**Commented [UG2]:** Must be Kenya root CA URI

## 1.2 SINAM CSP Certificate Revocation List (CRL) Profile

Base Certificate	OID	Include	Critical	Fixed / Dynamic	Value	Comment
<b>Basic Certificate Fields</b>						
Version		X		Fixed	2	X.509 Version 2 CRL profile
Signature		X		Fixed	1.2.840.113549.1.1.11 (SHA256 with RSA Encryption)	
thisUpdate		X		Dynamic	CRL Generation Process Date	
nextUpdate		X		Dynamic	CRL Generation Process Date + 7 days	Date by which the next CRL will be issued (at the latest – if a certificate is revoked, a CRL will be issued at that time)  Issuing CA: + 7 days
Issuer						
countryName	2.5.4.6	X		Fixed	AZ	
organizationName	2.5.4.10	X		Fixed	SINAM	
commonName	2.5.4.3	X		Fixed	SINAM CSP	
revokedCertificates						
Sequence						
userCertificate		X		Dynamic	16 Byte serial number of certificate	
revocationDate		X		Dynamic	Revocation Date	
<b>CRL Entry Extensions</b>						
cRLReasons	2.5.29.21	X				
reasonCode		X	FALSE	Dynamic	Reason code for the revocation	
<b>CRL Extensions</b>						
authorityKeyIdentifier	2.5.29.35	X	FALSE			
KeyIdentifier		X			SHA256	
CRLNumber	2.5.29.20	X	FALSE	Dynamic	Increment previous CRL number by 1	Starting CRL Number is 1
FreshestCRL	2.5.29.46	X		Fixed	CRL Distribution Point Distribution Point Name: Full Name: URL = <a href="http://csp.sinam.net/cdp/sinamcsp.crl">http://csp.sinam.net/cdp/sinamcsp.crl</a>	

## 1.3 SINAM CSP Delta CRL Profile

Base Certificate	OID	Include	Critical	Fixed / Dynamic	Value	Comment
<b>Basic Certificate Fields</b>						
Version		X		Fixed	2	X.509 Version 2 CRL profile



SINAM CSP – Certificate Policy

Signature		X		Fixed	1.2.840.113549.1.1.11	(SHA256 with RSA Encryption)
thisUpdate		X		Dynamic	Delta CRL Generation Process Date	
nextUpdate		X		Dynamic	Delta CRL Generation Process Date + 3 hours	Date by which the next Delta CRL will be issued since base.
Issuer						
countryName	2.5.4.6	X		Fixed	AZ	
organizationName	2.5.4.10	X		Fixed	SINAM	
commonName	2.5.4.3	X		Fixed	SINAM CSP	
revokedCertificates						
Sequence						
userCertificate		X		Dynamic	16 Byte serial number of certificate	
revocationDate		X		Dynamic	Revocation Date	
CRL Entry Extensions						
cRLReasons	2.5.29.21	X				
reasonCode		X	FALSE	Dynamic	Reason code for the revocation	
CRL Extensions						
authorityKeyIdentifier	2.5.29.35	X	FALSE			
KeyIdentifier		X			SHA256	
cRLNumber	2.5.29.20	X	FALSE	Dynamic	Increment previous CRL number by 1	Starting CRL Number is 1
deltaCRLIndicator	2.5.29.27	X	TRUE	Dynamic	BaseCRLNumber	

## 2 Individual/Legal Entity – Digital Signature (Subscribers) format

### 2.1 Legal Entity – Digital Signature issued by SINAM CSP

Certificate Attribute	OID	Include	Critical	Fixed / Dynamic	Value	Comment
Basic Certificate Fields						
Version		X			3	(Ver.3)
SerialNumber		X			00	Generated by the CA at Key Generation Ceremony
Signature		X			1.2.840.113549.1.1.11	OID (SHA256 with RSA)
Issuer						
commonName	2.5.4.3	X		FIXED	SINAM CSP	
organizationName	2.5.4.10	X		FIXED	SINAM	
countryName	2.5.4.6	X		FIXED	AZ	
Validity						
NotBefore		X			SUBSCRIBER: 220905032227Z (September 5, 2022 03:22:27 GMT +4)	
NotAfter		X		FIXED	SUBSCRIBER: 250904032227Z (September 4, 2025 03:22:27 GMT+4)	
Subject						
serialNumber	2.5.4.5	x		FIXED	<Subscriber's ID NUMBER>	
givenName	2.5.4.42	x		FIXED	<Subscriber's given name>	
surName	2.5.4.4	x		FIXED	<Subscriber's surname>	
commonName	2.5.4.3	x		FIXED	<Subscriber's full name>	
organizationalUnit	2.5.4.10	x		FIXED	<Subscriber organization's KRA PIN>	
organizationName	2.5.4.10	X		FIXED	<Subscriber organization>	
countryName	2.5.4.6	X		FIXED	<Subscriber organization's country>	
title	2.5.4.12	X		FIXED	<Subscriber's title>	
SubjectPublicKeyInfo						
algorithm		X		FIXED	1.2.840.113549.1.1.1	RSA (2048 Bits)
SubjectPublicKey		X				OCTET STRING The key length depends on application and must be at least 2048 bit
SignatureAlgorithm						
algorithm		X		FIXED	1.2.840.113549.1.1.11	(SHA256)
SignatureValue		X				
Certificate Extensions						
Certificate Policies	2.5.29.32			FIXED	[1]Certificate Policy: Policy Identifier=1.3.6.1.4.1.63647.1.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: <a href="https://csp.sinam.net/repository">https://csp.sinam.net/repository</a>	
Key Usage	2.5.29.15	X	TRUE			
Digital Signature		X				
NonRepudiation		X				
Extended Key Usage	2.5.29.37	X	FALSE			
Secure Email	1.3.6.1.5.5.7.3.4	X				
Document Signing	1.3.6.1.4.1.311.10.3.12	X				
authorityKeyIdentifier	2.5.29.35	X	FALSE			
KeyIdentifier		X			SHA256	
subjectKeyIdentifier	2.5.29.14	X	FALSE			

SINAM CSP – Certificate Policy

KeyIdentifier		X			SHA256	OCTET STRING
basicConstraints	2.5.29.19	X	TRUE			
cA		X		FIXED	FALSE	
pathLenConstraint				FIXED	None	
cRLDistributionPoints	2.5.29.31	X	FALSE	FIXED	[1]CRL Distribution Point Distribution Point Name: Full Name: URL=http://csp.sinam.net/cdp/sinamcsp.crl [2]CRL Distribution Point Distribution Point Name: Full Name: URL=ldap://csp.sinam.net/CN=SINAM CSP,O=SINAM,C=AZ?CertificateRevocationList?base?objectclass=certificationAuthority	Link to online CRL
Authority Information Access	1.3.6.1.5.5.7.1.1	x	FALSE	FIXED	[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://csp.sinam.net/sinamcsp.crt [2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=ldap://csp.sinam.net/CN=SINAM CSP,O=SINAM,C=AZ?cACertificate?base?objectclass=certificationAuthority [3]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://csp.sinam.net/ocsp	
Qualified certificate statements	0.4.0.194125	x	FALSE	FIXED	<Subscriber's stamp details>	Stamp privilege

## 2.2 Individual – Digital Signature issued by SINAM CSP

Certificate Attribute	OID	Include	Critical	Fixed / Dynamic	Value	Comment
<b>Basic Certificate Fields</b>						
Version		X			3	(Ver.3)
SerialNumber		X			00	Generated by the CA at Key Generation Ceremony
Signature		X			1.2.840.113549.1.1.11	OID (SHA256 with RSA)
Issuer						
commonName	2.5.4.3	X		FIXED	SINAM CSP	
organizationName	2.5.4.10	X		FIXED	SINAM	
countryName	2.5.4.6	X		FIXED	AZ	
Validity						
NotBefore		X				
NotAfter		X		FIXED		
Subject						
serialNumber	2.5.4.5	x		FIXED	<Subscriber's ID NUMBER >	
givenName	2.5.4.42	x		FIXED	<Subscriber's given name>	
Surname	2.5.4.4	x		FIXED	<Subscriber's surname>	
commonName	2.5.4.3	x		FIXED	<Subscriber's full name>	
countryName	2.5.4.6	X		FIXED	<Subscriber's citizenship>	
SubjectPublicKeyInfo						
Algorithm		X		FIXED	1.2.840.113549.1.1.1	RSA (2048 Bits)
SubjectPublicKey		X				OCTET STRING The key length depends on application and must be at least 2048 bit
SignatureAlgorithm						
algorithm		X		FIXED	1.2.840.113549.1.1.11	(SHA256)
SignatureValue		X				
<b>Certificate Extensions</b>						
Certificate Policies	2.5.29.32				[1]Certificate Policy: Policy Identifier=1.3.6.1.4.1.63647.1.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: <a href="https://csp.sinam.net/repository">https://csp.sinam.net/repository</a>	
Key Usage	2.5.29.15	X	TRUE			
Digital Signature		X				
NonRepudiation		X				
Extended Key Usage	2.5.29.37	X	FALSE			
Secure Email	1.3.6.1.5.5.7.3.4	X				
Document Signing	1.3.6.1.4.1.311.10.3.12	X				
authorityKeyIdentifier	2.5.29.35	X	FALSE			
KeyIdentifier		X			SHA256	
subjectKeyIdentifier	2.5.29.14	X	FALSE			
KeyIdentifier		X			SHA256	OCTET STRING
basicConstraints	2.5.29.19	X	TRUE			
cA		X		FIXED	FALSE	
pathLenConstraint				FIXED	None	
cRLDistributionPoints	2.5.29.31	X	FALSE	FIXED	[1]CRL Distribution Point Distribution Point Name:	Link to online CRL

SINAM CSP – Certificate Policy

					<p>Full Name: URL =http://csp.sinam.net/cdp/sinamcsp.crl [2]CRL Distribution Point Distribution Point Name: Full Name: URL=ldap://csp.sinam.net/CN=SINAM CSP, O= SINAM, C=AZ?certificate?base?objectclass=certificationauthority</p>	
Authority Information Access	1.3.6.1.5.5.7.1.1	x	FALSE	FIXED	<p>[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://csp.sinam.net/sinamcsp.crt [2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=ldap://csp.sinam.net/CN=SINAM CSP, O=SINAM, C=AZ?certificate?base?objectclass=certificationauthority [3]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://csp.sinam.net/ocsp</p>	

### 3 Individual/Legal Entity – Encryption

#### 3.1 Legal Entity – Encryption issued by SINAM CSP

Certificate Attribute	OID	Include	Critical	Fixed / Dynamic	Value	Comment
Basic Certificate Fields						
Version		X			3	(Ver.3)
SerialNumber		X			00	Generated by the CA at Key Generation Ceremony
Signature		X			1.2.840.113549.1.1.11	OID (SHA256 with RSA)
Issuer						
commonName	2.5.4.3	X		FIXED	SINAM CSP	
organizationName	2.5.4.10	X		FIXED	SINAM	
countryName	2.5.4.6	X		FIXED	AZ	
Validity						
NotBefore		X			SUBSCRIBER: 220905034520Z (September 5, 2022 03:45:20 GMT +4)	
NotAfter		X		FIXED	SUBSCRIBER: 250904034520Z (September 4, 2025 03:45:20 GMT+4)	
Subject						
serialNumber	2.5.4.5	x		FIXED	<Subscriber's ID NUMBER >	
givenName	2.5.4.42	x		FIXED	<Subscriber's given name>	
surname	2.5.4.4	x		FIXED	<Subscriber's surname>	
commonName	2.5.4.3	x		FIXED	<Subscriber's full name>	
organizationalUnit	2.5.4.10	x		FIXED	<Subscriber organization's KRA PIN>	
organizationName	2.5.4.10	X		FIXED	<Subscriber organization>	
countryName	2.5.4.6	X		FIXED	<Subscriber organization's country>	
title	2.5.4.12	X		FIXED	<Subscriber's title>	
SubjectPublicKeyInfo						
algorithm		X		FIXED	1.2.840.113549.1.1.1	RSA (2048 Bits)
SubjectPublicKey		X				OCTET STRING The key length depends on application and must be at least 2048 bit
SignatureAlgorithm						
algorithm		X		FIXED	1.2.840.113549.1.1.11	(SHA256)
SignatureValue		X				
Certificate Extensions						
Certificate Policies	2.5.29.32				[1]Certificate Policy: Policy Identifier=1.3.6.1.4.1.63647.1.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: <a href="https://csp.sinam.net/repository">https://csp.sinam.net/repository</a>	
Key Usage	2.5.29.15	X	TRUE			
Key encipherment		X				
Data encipherment		X				
Extended Key Usage	2.5.29.37	X	FALSE			
Secure Email Protection	1.3.6.1.5.5.7.3.4	X				
authorityKeyIdentifier	2.5.29.35	X	FALSE			
KeyIdentifier		X			SHA256	
subjectKeyIdentifier	2.5.29.14	X	FALSE			
KeyIdentifier		X			SHA256	OCTET STRING

SINAM CSP – Certificate Policy

basicConstraints	2.5.29.19	X	TRUE			
cA		X		FIXED	FALSE	
pathLenConstraint				FIXED	None	
cRLDistributionPoints	2.5.29.31	X	FALSE	FIXED	[1]CRL Distribution Point Distribution Point Name: Full Name: URL=http://csp.sinam.net/cdp/sinamcsp.crl [2]CRL Distribution Point Distribution Point Name: Full Name: URL=ldap://csp.sinam.net/CN=SINAM CSP,O=SINAM,C=AZ?CertificateRevocationList?base?objectclass=certificationAuthority	Link to online CRL
Authority Information Access	1.3.6.1.5.5.7.1.1	x	FALSE	FIXED	[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://csp.sinam.net/sinamcsp.crt [2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=ldap://csp.sinam.net/CN=SINAM CSP,O=SINAM,C=AZ?cACertificate?base?objectclass=certificationAuthority [3]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://csp.sinam.net/ocsp	
Qualified certificate statements	0.4.0.194125	x	FALSE	FIXED	<Subscriber's stamp details>	"Möhür hüququ"

### 3.2 Individual – Encryption issued by SINAM CSP

Certificate Attribute	OID	Include	Critical	Fixed / Dynamic	Value	Comment
<b>Basic Certificate Fields</b>						
Version		X			3	(Ver.3)
SerialNumber		X			00	Generated by the CA at Key Generation Ceremony
Signature		X			1.2.840.113549.1.1.11	OID (SHA256 with RSA)
Issuer						
commonName	2.5.4.3	X		FIXED	SINAM CSP	
organizationName	2.5.4.10	X		FIXED	SINAM	
countryName	2.5.4.6	X		FIXED	AZ	
Validity						
NotBefore		X				
NotAfter		X		FIXED		
Subject						
serialNumber	2.5.4.5	x		FIXED	<Subscriber's ID NUMBER >	
givenName	2.5.4.42	x		FIXED	<Subscriber's given name>	
surname	2.5.4.4	x		FIXED	<Subscriber's surname>	
commonName	2.5.4.3	x		FIXED	<Subscriber's full name>	
countryName	2.5.4.6	X		FIXED	<Subscriber's citizenship>	
SubjectPublicKeyInfo						
algorithm		X		FIXED	1.2.840.113549.1.1.1	RSA (2048 Bits)
SubjectPublicKey		X				OCTET STRING The key length depends on application and must be at least 2048 bit
SignatureAlgorithm						
algorithm		X		FIXED	1.2.840.113549.1.1.11	(SHA256)
SignatureValue		X				
<b>Certificate Extensions</b>						
Certificate Policies	2.5.29.32				[1]Certificate Policy: Policy Identifier=1.3.6.1.4.1.63647.1.1 [1.1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: <a href="https://csp.sinam.net/repository">https://csp.sinam.net/repository</a>	
Key Usage	2.5.29.15	X	TRUE			
Key encipherment		X				
Data encipherment		X				
Extended Key Usage	2.5.29.37	X	FALSE			
Secure Email Protection	1.3.6.1.5.5.7.3.4	X				
authorityKeyIdentifier	2.5.29.35	X	FALSE			
KeyIdentifier		X			SHA256	
subjectKeyIdentifier	2.5.29.14	X	FALSE			
KeyIdentifier		X			SHA256	OCTET STRING
basicConstraints	2.5.29.19	X	TRUE			
cA		X		FIXED	FALSE	
pathLenConstraint				FIXED	None	
cRLDistributionPoints	2.5.29.31	X	FALSE	FIXED	[1]CRL Distribution Point Distribution Point Name: Full Name: URL	Link to online CRL



SINAM CSP – Certificate Policy

					<p>=http://csp.sinam.net/cdp/sinamcsp.crl</p> <p>[2]CRL Distribution Point</p> <p>Distribution Point Name:</p> <p>Full Name:</p> <p>URL=ldap://csp.sinam.net/CN=SINAM CSP, O=SINAM, C=AZ?certificate?base?objectclass=certificationauthority</p>	
Authority Information Access	1.3.6.1.5.5.7.1.1	x	FALSE	FIXED	<p>[1]Authority Info Access</p> <p>Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2)</p> <p>Alternative Name:</p> <p>URL=http://csp.sinam.net/sinamcsp.crt</p> <p>[2]Authority Info Access</p> <p>Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2)</p> <p>Alternative Name:</p> <p>URL=ldap://csp.sinam.net/CN=SINAM CSP, O=SINAM, C=AZ?certificate?base?objectclass=certificationauthority</p> <p>[3]Authority Info Access</p> <p>Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1)</p> <p>Alternative Name:</p> <p>URL=http://csp.sinam.net/ocsp</p>	

## 4 Individual/Legal Entity – Authentication (Subscribers)

### 4.1 Legal Entity – Authentication issued by SINAM CSP

Certificate Attribute	OID	Include	Critical	Fixed / Dynamic	Value	Comment
<b>Basic Certificate Fields</b>						
Version		X			3	(Ver.3)
SerialNumber		X			00	Generated by the CA at Key Generation Ceremony
Signature		X			1.2.840.113549.1.1.11	OID (SHA256 with RSA)
Issuer						
commonName	2.5.4.3	X		FIXED	SINAM CSP	
organizationName	2.5.4.10	X		FIXED	SINAM	
countryName	2.5.4.6	X		FIXED	AZ	
Validity						
NotBefore		X			SUBSCRIBER: 220905032308Z (September 5, 2022 03:23:08 GMT +4)	
NotAfter		X		FIXED	SUBSCRIBER: 250904032308Z (September 4, 2025 03:23:08 GMT+4)	
Subject						
serialNumber	2.5.4.5	x		FIXED	<Subscriber's ID NUMBER >	
givenName	2.5.4.42	x		FIXED	<Subscriber's given name>	
surname	2.5.4.4	x		FIXED	<Subscriber's surname>	
commonName	2.5.4.3	x		FIXED	<Subscriber's full name>	
organizationalUnit	2.5.4.10	x		FIXED	<Subscriber organization's KRA PIN>	
organizationName	2.5.4.10	X		FIXED	<Subscriber organization>	
countryName	2.5.4.6	X		FIXED	<Subscriber organization's country>	
title	2.5.4.12	X		FIXED	<Subscriber's title>	
SubjectPublicKeyInfo						
algorithm		X		FIXED	1.2.840.113549.1.1.1	RSA (2048 Bits)
SubjectPublicKey		X				OCTET STRING The key length depends on application and must be at least 2048 bit
SignatureAlgorithm						
algorithm		X		FIXED	1.2.840.113549.1.1.11	(SHA256)
SignatureValue		X				
<b>Certificate Extensions</b>						
Certificate Policies	2.5.29.32				[1]Certificate Policy: Policy Identifier=1.3.6.1.4.1.63647.1.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: <a href="https://csp.sinam.net/repository">https://csp.sinam.net/repository</a>	
Key Usage	2.5.29.15	X	TRUE			
Digital Signature		X				
Extended Key Usage	2.5.29.37	X	FALSE			
clientAuth	1.3.6.1.5.5.7.3.2	X				
authorityKeyIdentifier	2.5.29.35	X	FALSE			
KeyIdentifier		X			SHA256	
subjectKeyIdentifier	2.5.29.14	X	FALSE			
KeyIdentifier		X			SHA256	OCTET STRING
basicConstraints	2.5.29.19	X	TRUE			

SINAM CSP – Certificate Policy

ca		X		FIXED	FALSE	
pathLenConstraint				FIXED	None	
cRLDistributionPoints	2.5.29.31	X	FALSE	FIXED	[1]CRL Distribution Point Distribution Point Name: Full Name: URL =http://csp.sinam.net/cdp/sinamcsp.crl [2]CRL Distribution Point Distribution Point Name: Full Name: URL=ldap://csp.sinam.net/CN=SINAM CSP, O=SINAM, C=AZ?certificate?evocationlist?base?objectclass= =certificationaluthority	Link to online CRL
Authority Information Access	1.3.6.1.5.5.7.1.1	x	FALSE	FIXED	[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://csp.sinam.net/sinamcsp.crt [2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=ldap://csp.sinam.net/CN=SINAM CSP, O=SINAM,C=AZ?certificate?base?objectclass=cer tificationauthority [3]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://csp.sinam.net/ocsp	
Qualified certificate statements	0.4.0.194125	x	FALSE	FIXED	<Subscriber's stamp details>	"Möhür hüququ"

## 4.2 Individual – Authentication issued by SINAM CSP

Certificate Attribute	OID	Include	Critical	Fixed / Dynamic	Value	Comment
<b>Basic Certificate Fields</b>						
Version		X			3	(Ver.3)
SerialNumber		X			00	Generated by the CA at Key Generation Ceremony
Signature		X			1.2.840.113549.1.1.11	OID (SHA256 with RSA)
Issuer						
commonName	2.5.4.3	X		FIXED	SINAM CSP	
organizationName	2.5.4.10	X		FIXED	SINAM	
countryName	2.5.4.6	X		FIXED	AZ	
Validity						
NotBefore		X				
NotAfter		X		FIXED		
Subject						
serialNumber	2.5.4.5	x		FIXED	<Subscriber's ID NUMBER>	
givenName	2.5.4.42	x		FIXED	<Subscriber's given name>	
surname	2.5.4.4	x		FIXED	<Subscriber's surname>	
commonName	2.5.4.3	x		FIXED	<Subscriber's full name>	
organizationalUnit	2.5.4.10	x		FIXED	<Subscriber organization's KRA PIN>	
organizationName	2.5.4.10	X		FIXED	<Subscriber organization>	
countryName	2.5.4.6	X		FIXED	<Subscriber organization's country>	
title	2.5.4.12	X		FIXED	<Subscriber's title>	
SubjectPublicKeyInfo						
algorithm		X		FIXED	1.2.840.113549.1.1.1	RSA (2048 Bits)
SubjectPublicKey		X				OCTET STRING The key length depends on application and must be at least 2048 bit
SignatureAlgorithm						
algorithm		X		FIXED	1.2.840.113549.1.1.11	(SHA256)
SignatureValue		X				
<b>Certificate Extensions</b>						
Certificate Policies	2.5.29.32				[1]Certificate Policy: Policy Identifier=1.3.6.1.4.1.63647.1.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CP5 Qualifier: <a href="https://csp.sinam.net/repository">https://csp.sinam.net/repository</a>	
Key Usage	2.5.29.15	X	TRUE			
Digital Signature		X				
Extended Key Usage	2.5.29.37	X	FALSE			
clientAuth	1.3.6.1.5.5.7.3.2	X				
authorityKeyIdentifier	2.5.29.35	X	FALSE			
KeyIdentifier		X			SHA256	
subjectKeyIdentifier	2.5.29.14	X	FALSE			
KeyIdentifier		X			SHA256	OCTET STRING
basicConstraints	2.5.29.19	X	TRUE			
cA		X		FIXED	FALSE	
pathLenConstraint				FIXED	None	

SINAM CSP – Certificate Policy

<b>cRLDistributionPoints</b>	2.5.29.31	X	FALSE	FIXED	<p>[1]CRL Distribution Point Distribution Point Name: Full Name: URL =http://csp.sinam.net/cdp/sinamcsp.crl</p> <p>[2]CRL Distribution Point Distribution Point Name: Full Name: URL=ldap://csp.sinam.net/CN=SINAM CSP, O=SINAM, C=AZ?certificate?base?objectclass=certificationauthority</p>	Link to online CRL
<b>Authority Information Access</b>	1.3.6.1.5.5.7.1.1	x	FALSE	FIXED	<p>[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://csp.sinam.net/sinamcsp.crt</p> <p>[2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=ldap://csp.sinam.net/CN=SINAM CSP, O=SINAM, C=AZ?certificate?base?objectclass=certificationauthority</p> <p>[3]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://csp.sinam.net/ocsp</p>	

## 10. References

- [1] ITU-T Recommendation X.509 (2000)/ISO/IEC 9594-8 (2017): "Information technology – Open Systems Interconnection - The Directory: Public-key and attribute Certificate frameworks"
- [2] "Electronic Signature and Electronic Document" Law of the Republic of Kenya, 9 March 2004
- [3] ETSI TS 101 456 V1.4.3 "Electronic Signatures and Infrastructures (ESI); Policy requirements for certification authorities issuing Qualified Certificates", May 2007
- [4] RFC 3647 "Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework" November 2003
- [5] RFC 2119 "Key words for use in RFCs to Indicate Requirement Levels" March 1997
- [6] RFC 5280 "Internet X.509 Public Key Infrastructure: Certificate and CRL Profile", May 2008
- [7] RFC 6960 - X.509 Internet Public Key Infrastructure Online Certificate Status Protocol – OCSP, June 2013
- [8] ETSI EN 319 411-1 V1.4.1 (2023-10) Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General Requirements;
- [9] ETSI EN 319 411-2 V2.5.1 (2023-10) Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Policy requirements for certification authorities issuing qualified certificates;